

第2章 临床病史与神经解剖学

参考文献

- [1] Ahmed RM, Irish M, Piguet O, et al. Amyotrophic lateral sclerosis and frontotemporal dementia: distinct and overlapping changes in eating behaviour and metabolism. *Lancet Neurol.* 2016;15:332–42.
- [2] Blumenfeld H. *Neuroanatomy through clinical cases*. 3rd ed. Sunderland, MA: Sinauer Associates, Inc.; 2021.
- [3] Brazis PW. *Localization in clinical neurology*. 8th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2021.
- [4] Caplan LR, Agarwal A. *Stories of stroke: key individuals and the evolution of ideas*. Cambridge: Cambridge University Press; 2023.
- [5] Fink J, Sonnenborg L, Lunde Larsen L, et al. Basilar artery thrombosis treated in a child with intravenous tissue plasminogen activator and mechanical thrombectomy. *J Child Neurol.* 2013;28(11):1521–6.
- [6] Gutschalk A, Uppenkamp S, Riedel B, Bartsch A, Brandt T, Vogt-Schaden M. Pure word deafness with auditory object agnosia after bilateral lesion of the superior temporal sulcus. *Cortex.* 2015;73:24–35.
- [7] Harlow JM. Passage of an iron rod through the head. *Boston Med Surg J.* 1848;39:389–93.
- [8] Johansen A, Christensen SJ, Scheie D, Højgaard JLS, Kondziella D. Neuromuscular adverse events associated with anti-PD-1 monoclonal antibodies: systematic review. *Neurology.* 2019;92:663–74.
- [9] Kiernan MC, Turner MR. Lou Gehrig and the ALS split hand. *Neurology.* 2015;85:1995.
- [10] Kondziella D, Maetzel H. The sting in the tail: syncope and palinopsia. *J Neurol.* 2006;253:657–8.
- [11] Manji Hm Turner C, Evans MRB. *Neuromuscular disease: case studies from queen square*. 1st ed. London: Springer UK; 2017.
- [12] Martín-Aguilar L, Lleixà C, Pascual-Goñi E. Autoimmune nodopathies, an emerging diagnostic category. *Curr Opin Neurol.* 2022;35:579–85.
- [13] Nersesjan V, Martens P, Truelsen T, Kondziella D. After stroke, apraxia of eyelid opening is associated with high mortality and right hemispheric infarction. *J Neurol Sci.* 2020;418:117145.
- [14] O'Brien M. *Aids to the examination of the peripheral nervous system*. 6th ed. Elsevier; 2023.
- [15] Ostrow LV, Llinás RH. Eastchester clapping sign: a novel test of parietal neglect. *Ann Neurol.* 2009;66:114–7.
- [16] Posner JB, Saper CB, Schiff ND, Claassen J. *Plum and Posner's diagnosis of stupor and coma*. 5th ed. Oxford: Oxford University Press; 2019.
- [17] Powel R, Hughes T. A chamber of secrets. The neurology of the thalamus: lessons from acute stroke. *Pract Neurol.* 2014;14:440–5.
- [18] Ropper AH, Samuels MA, Klein JP, Prasad S. *Adams and Victor's principles of neurology*. 11th ed. New York, NY: McGraw-Hill Professional; 2019.
- [19] Shields M, Sinkar S, Chan W, Crompton J. Parinaud syndrome: a 25-year (1991–2016) review of 40 consecutive adult cases. *Acta Ophthalmol.* 2016;95:e792–3.
- [20] Simonet C, Schrag A, Lees AJ, Noyce AJ. The motor prodromes of parkinson's disease: from bedside observation to large-scale application. *J Neurol.* 2021;268:2099–108.
- [21] Waxman S. *Clinical neuroanatomy*. 29th ed. New York, NY: McGraw-Hill Medical; 2020.
- [22] Wyllie E. *Wyllie's treatment of epilepsy: principles and practice*. 7th ed. Lippincott Williams & Wilkins; 2021.

第3章 床旁神经病学检查

参考文献

- [1] Abdo WF, Borm GF, Munneke M, et al. Ten steps to identify atypical parkinsonism. *J Neurol Neurosurg Psychiatry*. 2006;77:1367-9.
- [2] Aerts MB, Abdo WF, Bloem BR. The “bicycle sign” for atypical parkinsonism. *Lancet*. 2011;377:125-6.
- [3] Beishon LC, Batterham AP, Quinn TJ, Nelson CP, Panerai RB, Robinson T, Haunton VJ. Addenbrooke’s cognitive examination III (ACE-III) and mini-ACE for the detection of dementia and mild cognitive impairment. *Cochrane Database Syst Rev*. 2019;12(12):CD013282.
- [4] Cronberg T, Greer DM, Lilja G, Moulaert V, Swindell P, Rossetti AO. Brain injury after cardiac arrest: from prognostication of comatose patients to rehabilitation. *Lancet Neurol*. 2020;19(7):611-22.
- [5] David AS. Paralympics and conversion disorder. *J Neurol Neurosurg Psychiatry*. 2016;87:217-9.
- [6] Delgado-Álvarez A, Díez-Cirarda M, Delgado-Alonso C, Hernández-Lorenzo L, Cuevas C, Valles-Salgado M, et al. Multi-disease validation of the Rudas for cognitive screening in Alzheimer’s disease, Parkinson’s disease, and multiple sclerosis. *J Alzheimers Dis*. 2023;91(2):705-17.
- [7] Demartini B, Petrochilos P, Ricciardi L, et al. The role of alexithymia in the development of functional motor symptoms (conversion disorder). *J Neurol Neurosurg Psychiatry*. 2014;85:1132-7.
- [8] Edlow BL, Claassen J, Schiff ND, Greer DM. Recovery from disorders of consciousness: mechanisms, prognosis and emerging therapies. *Nat Rev Neurol*. 2021;17(3):135-56.
- [9] Islam N, Hashem R, Gad M, Brown A, Levis B, Renoux C, Thombs BD, McInnes MD. Accuracy of the Montreal cognitive assessment tool for detecting mild cognitive impairment: a systematic review and meta-analysis. *Alzheimers Dement*. 2023. <https://doi.org/10.1002/alz.13040>.
- [10] Jørgensen K, Nielsen TR, Nielsen A, Waldorff FB, Høgh P, Jakobsen S, Gottrup H, Vestergaard K, Waldemar G. Brief assessment of impaired cognition (BASIC)-validation of a new dementia case-finding instrument integrating cognitive assessment with patient and informant report. *Int J Geriatr Psychiatry*. 2019;34:1724-33.
- [11] Kattah JC, Talkad AV, Wang DZ, et al. HINTS to diagnose stroke in the acute vestibular syndrome: threestep bedside oculomotor examination more sensitive than early MRI diffusion-weighted imaging. *Stroke*. 2009;40:3504-10.
- [12] Kondziella D. The neurology of death and the dying brain: a pictorial essay. *Front Neurol*. 2020;11:736.
- [13] Kondziella D. Neuroprognostication after cardiac arrest: what the cardiologist should know. *Eur Heart J Acute Cardiovasc Care*. 2023;zuad019. <https://doi.org/10.1093/ehjacc/zuad019>.
- [14] Kondziella D, Frontera JA. Pearls and Oysters: eyesopen coma. *Neurology*. 2021;96:864-7.
- [15] Kondziella D, Bender A, Diserens K, et al. EAN panel on coma, disorders of consciousness. European Academy of Neurology guideline on the diagnosis of coma and other disorders of consciousness. *Eur J Neurol*. 2020;27(5):741-56.
- [16] Kondziella D, Friberg CK, Frokjaer VG, et al. Preserved consciousness in vegetative and minimal conscious states: systematic review and meta-analysis. *J Neurol Neurosurg Psychiatry*. 2016;87:485-92.
- [17] Kondziella D, Nordenstig A, Mölne A, Axelsson M. Cranial neuropathy in the blue rubber bleb nevus syndrome. *J Neurol Neurosurg Psychiatry*. 2010;81:1207-8.
- [18] Kurtzhals C, Hansen K, Kondziella D. Spontaneous cerebrospinal fluid leak associated with idiopathic intracranial hypertension. *Neurol India*. 2011;59:946-7.
- [19] Nielsen TR, Segers K, Vanderspoilden V, Bekkhus-Wetterberg P, Bjørkløf GH, Beinhoff U, Minthon L, Pissioti A, Tsolaki M, Gkioka M, Waldemar G. Validation of the Rowland universal dementia assessment scale (RUDAS) in a multicultural sample across five Western European countries: diagnostic accuracy and normative data. *Int Psychogeriatr*. 2019;31:287-96.
- [20] O’Brien M. Aids to the examination of the peripheral nervous system. 6th ed. Elsevier; 2023.
- [21] Owen AM, Coleman MR, Boly M, et al. Detecting awareness in the vegetative state. *Science*. 2006;313:1402.
- [22] Rossetti AO, Rabinstein AA, Oddo M. Neurological prognostication of outcome in patients in coma after cardiac arrest. *Lancet Neurol*. 2016;15(6):597-609.
- [23] Schott JM, Rossor MN. The palmomental reflex: stop scratching around! *Pract Neurol*. 2016;16:500-1.
- [24] Shuey NH. Ocular myasthenia gravis: a review and practical guide for clinicians. *Clin Exp Optom*. 2022;105:205-13.
- [25] Tsai MS, Chen WJ, Chen WT, Tien YT, Chang WT, Ong HN, et al. Should we prolong the observation period for

- neurological recovery after cardiac arrest? Crit Care Med. 2022;50:389 – 97.
- [26] Wijdicks EF, Bamlet WR, Maramattom BV, et al. Validation of a new coma scale: the FOUR score. Ann Neurol. 2005; 58:585 – 93.

第4章 鉴别诊断

参考文献

- [1] Baker J, Savage S, Milton F, Butler C, Kapur N, Hodges J, Zeman A. The syndrome of transient epileptic amnesia: a combined series of 115 cases and literature review. *Brain Commun.* 2021;3:fcab038.
- [2] Banwell B, Bennett JL, Marignier R, Kim HJ, Brilot F, Flanagan EP, et al. Diagnosis of myelin oligodendrocyte glycoprotein antibody-associated disease: international MOGAD Panel proposed criteria. *Lancet Neurol.* 2023;22:268 – 82.
- [3] Berg AT, Berkovic SF, Brodie MJ, et al. Revised terminology and concepts for organization of seizures and epilepsies: report of the ILAE Commission on Classification and Terminology, 2005 – 2009. *Epilepsia.* 2010;51:676 – 85.
- [4] Bhatia K, Jain V, Aggarwal D, Vaduganathan M, Arora S, Hussain Z, et al. Dual antiplatelet therapy versus aspirin in patients with stroke or transient ischemic attack: meta-analysis of randomized controlled trials. *Stroke.* 2021;52:e217 – 23.
- [5] Blauwendraat C, Nalls MA, Singleton AB. The genetic architecture of Parkinson's disease. *Lancet Neurol.* 2020;19(2): 170 – 8.
- [6] Boeve BF, Boxer AL, Kumfor F, Pijnenburg Y, Rohrer JD. Advances and controversies in frontotemporal dementia: diagnosis, biomarkers, and therapeutic considerations. *Lancet Neurol.* 2022;21:258 – 72.
- [7] Callaghan B. Test utilization and value in the evaluation of peripheral neuropathies. Callaghan BC. *Continuum (Minneapolis, Minn).* 2020;26:1384 – 91.
- [8] Charidimou A, Boulouis G, Frosch MP, Baron JC, Pasi M, Albuchoer JF, et al. The Boston criteria version 2.0 for cerebral amyloid angiopathy: a multicentre, retrospective, MRI-neuropathology diagnostic accuracy study. *Lancet Neurol.* 2022;21:714 – 25.
- [9] Ciceri EF, Opancina V, Pellegrino C, Scarabelli A, Botturi AG, Bersano A, et al. Fibrocartilaginous embolism: a rare cause leading to spinal cord infarction? *Neurol Sci.* 2023;44:263 – 71.
- [10] Cortese A, Curro' R, Vegezzi E, Yau WY, Houlden H, Reilly MM. Cerebellar ataxia, neuropathy and vestibular areflexia syndrome (CANVAS): genetic and clinical aspects. *Pract Neurol.* 2022;22:14 – 8.
- [11] Crutch SJ, Schott JM, Rabinovici GD, et al. Shining a light on posterior cortical atrophy. *Alzheimers Dement.* 2013;9(4):463 – 5.
- [12] Dalmau J. NMDA receptor encephalitis and other anti-body-mediated disorders of the synapse. The 2016 Cotzias Lecture. *Neurology.* 2016;87:2471 – 82.
- [13] Dubois B, Filippo M, Waldemar G. The diagnosis of Alzheimer's disease, assessment and criteria. In: Michel J, Beattie BL, Martin FC, Walston J, editors. *Oxford textbook of geriatric medicine*, 3rd ed. London: Oxford University Press; 2017.
- [14] Dubois B, Villain N, Frisoni GB, Rabinovici GD, Sabbagh M, Cappa S, et al. Clinical diagnosis of Alzheimer's disease: recommendations of the International Working Group. *Lancet Neurol.* 2021;20:484 – 96.
- [15] Easton JD, Saver JL, Albers GW, et al. Definition and evaluation of transient ischemic attack: a scientific statement for healthcare professionals from the American Heart Association/American Stroke Association Stroke Council; Council on Cardiovascular Surgery and Anesthesia; Council on Cardiovascular Radiology and Intervention; Council on Cardiovascular Nursing; and the Interdisciplinary Council on Peripheral Vascular Disease. *Stroke.* 2009;40:2276 – 93.
- [16] Fischer DB, Boes AD, Demertzi A, et al. A human brain network derived from coma-causing brainstem lesions. *Neurology.* 2016;87:2427 – 34.
- [17] Fisher RS, Cross JH, French JA, et al. Operational classification of seizure types by the International League Against Epilepsy: position paper of the ILAE Commission for Classification and Terminology. *Epilepsia.* 2017;58:522 – 30.
- [18] Fisher RS, Acevedo C, Arzimanoglou A, et al. ILAE official report: a practical clinical definition of epilepsy. *Epilepsia.* 2014;55:475 – 82.
- [19] Frederiksen KS, Nielsen TR, Winblad B, Schmidt R, Kramberger MG, Jones RW, Hort J, Grimmer T, Georges J, Frölich L, Engelborghs S, Dubois B, Waldemar G. European Academy of Neurology/European Alzheimer's Disease Consortium position statement on diagnostic disclosure, biomarker counseling, and management of patients with mild cognitive impairment. *Eur J Neurol.* 2021;28:2147 – 55.
- [20] Geschwind MD, Su H, Haman A, et al. Rapidly progressive dementia. *Ann Neurol.* 2008;64:97 – 108.
- [21] Ghosh PS, Milone M. Clinical and laboratory findings of 21 patients with radiation-induced myopathy. *J Neurol Neurosurg Psychiatry.* 2015;86:152 – 8.

- [22] Giles MF, Rothwell PM. Risk of stroke early after transient ischaemic attack: a systematic review and meta-analysis. *Lancet Neurol.* 2007;6:1063–72.
- [23] Gorno-Tempini ML, Hillis AE, Weintraub S, et al. Classification of primary progressive aphasia and its variants. *Neurology.* 2011;76(11):1006–14.
- [24] Graus F, Titulaer MJ, Balu R, et al. A clinical approach to diagnosis of autoimmune encephalitis. *Lancet Neurol.* 2016;15:391–404.
- [25] Hallett M, Aybek S, Dworetzky BA, McWhirter L, Staab JP, Stone J. Functional neurological disorder: new subtypes and shared mechanisms. *Lancet Neurol.* 2022;21:537–50.
- [26] Hannaford A, Pavey N, van den Bos M, Geevasinga N, Menon P, Shefner JM, et al. Diagnostic utility of gold coast criteria in amyotrophic lateral sclerosis. *Ann Neurol.* 2021;89:979–86.
- [27] Höglinger GU, Respondek G, Stamelou M, Kurz C, Josephs KA, Lang AE, et al. Clinical diagnosis of progressive supranuclear palsy: the movement disorder society criteria. *Mov Disord.* 2017;32:853–64.
- [28] Jack CR Jr, Bennett DA, Blennow K, Carrillo MC, Dunn B, Haeberlein SB, Holtzman DM, Jagust W, Jessen F, Karlawish J, Liu E, Molinuevo JL, Montine T, Phelps C, Rankin KP, Rowe CC, Scheltens P, Siemers E, Snyder HM, Sperling R. NIA-AA research frame-work: toward a biological definition of Alzheimer’s disease. *Alzheimers Dement.* 2018;14:535–62.
- [29] Jarius S, Aktas O, Azyenberg I, Bellmann-Strobl J, Berthele A, Giglhuber K, et al. Update on the diagnosis and treatment of neuromyelitis optica spectrum disorders (NMOSD)-revised recommendations of the Neuromyelitis Optica Study Group (NEMOS). Part I: Diagnosis and differential diagnosis. *J Neurol.* 2023 Apr 6. <https://doi.org/10.1007/s00415-023-11634-0>.
- [30] Johansen A, Christensen SJ, Scheie D, Højgaard JLS, Kondziella D. Neuromuscular adverse events associated with anti-PD-1 monoclonal antibodies: Systematic review. *Neurology.* 2019;92:663–74.
- [31] Kerrn-Jespersen BM, Lindelof M, Illes Z, Blaabjerg M, Lund EL, Klausen C, Christiansen I, Sellebjerg F, Kondziella D. CLIPPERS among patients diagnosed with non-specific CNS neuroinflammatory diseases. *J Neurol Sci.* 2014;343:224–7.
- [32] Kondziella D, Amiri M, Othman MH, Beghi E, Bodien YG, Citerio G, Giacino JT, Mayer SA, Lawson TN, Menon DK, Rass V, Sharshar T, Stevens RD, Tinti L, Vespa P, McNett M, Venkatasubba Rao CP, Helbok R. Curing coma campaign collaborators. Incidence and prevalence of coma in the UK and the USA. *Brain Commun.* 2022;4(5):fcac188.
- [33] Kondziella D. Thirty neurological eponyms associated with the Nazi era. *Eur Neurol.* 2009;62:56–64.
- [34] Kondziella D, Skagervik I. Malignant external otitis with extensive cranial neuropathy but no facial paralysis. *J Neurol.* 2007;254:1298–9.
- [35] Kondziella D, Danielsen ER, Arlien-Soeborg P. Fatal encephalopathy after an isolated overdose of cocaine. *J Neurol Neurosurg Psychiatry.* 2007a;78:437–8.
- [36] Kondziella D, Lykke J, Szentgyörgyi E. A diagnosis not to miss: pheochromocytoma during pregnancy. *J Neurol.* 2007b;254:1612–3.
- [37] Kondziella D, Hansen K, Gonzalez T, et al. Anti-thyroid antibodies in two patients with subacute dementia, ataxia and myoclonus [Danish]. *Ugeskr Læg.* 2012;174:577–9.
- [38] Kurtzke JF. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). *Neurology.* 1983;33:1444–52.
- [39] Larner AJ. Screening utility of the “attended alone” sign for subjective memory impairment. *Alzheimer Dis Assoc Disord.* 2014;28:364–5.
- [40] Lebrun-Frenay C, Kantarci O, Siva A, Sormani MP, Pelletier D, Okuda DT, et al. Radiologically isolated syndrome: 10-year risk estimate of a clinical event. *Ann Neurol.* 2020;88:407–17.
- [41] Lipton RB, Bigal ME. Ten lessons on the epidemiology of migraine. *Headache.* 2007;47:S2–9.
- [42] Liu YH, Chou YT, Chang FP, Lee WJ, Guo YC, Chou CT, et al. Neuronal intranuclear inclusion disease in patients with adult-onset non-vascular leukoencephalopathy. *Brain.* 2022;145:3010–21.
- [43] Lublin FD, Reingold SC, Cohen JA, et al. Defining the clinical course of multiple sclerosis: the 2013 revisions. *Neurology.* 2014;83:278–86.
- [44] Mani N, Slevin N, Hudson A. What three wise men have to say about diagnosis. *BMJ.* 2011;343: d7769.
- [45] McArdle DJ, Karia SJ. Ruptured intracranial dermoid cyst. *Pract Neurol.* 2016;16:478–9.
- [46] McKeith IG, Boeve BF, Dickson DW et al. Diagnosis and management of dementia with Lewy bodies: fourth consensus report of the DLB Consortium *Neurology.* 2017;89:88–100.
- [47] McKeith IG, Ferman TJ, Thomas AJ, et al. Research criteria for the diagnosis of prodromal dementia with Lewy bodies. *Neurology.* 2020;94:743–55.

- [48] McKhann GM, Knopman DS, Chertkow H, et al. The diagnosis of dementia due to Alzheimer's disease: recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. *Alzheimers Dement*. 2011;7:263-9.
- [49] Mendelson SJ, Prabhakaran S. Diagnosis and management of transient ischemic attack and acute ischemic stroke: a review. *JAMA*. 2021;325:1088-98.
- [50] Nersesjan V, Fonsmark L, Christensen RHB, Amiri M, Merie C, Lebech AM, et al. Neuropsychiatric and cognitive outcomes in patients 6 months after COVID-19 requiring hospitalization compared with matched control patients hospitalized for non-COVID-19 illness. *JAMA Psychiat*. 2022;79:486-97.
- [51] Nersesjan V, Amiri M, Lebech AM, Roed C, Mens H, Russell L, Fonsmark L, Berntsen M, Sigurdsson ST, Carlsen J, Langkilde AR, Martens P, Lund EL, Hansen K, Jespersen B, Folke MN, Meden P, Hejl AM, Wamberg C, Benros ME, Kondziella D. Central and peripheral nervous system complications of COVID-19: a prospective tertiary center cohort with 3-month follow-up. *J Neurol*. 2021a;268:3086-104.
- [52] Nersesjan V, McWilliam O, Krarup LH, Kondziella D. Autoimmune encephalitis related to cancer treatment with immune checkpoint inhibitors: a systematic review. *Neurology*. 2021b;97:e191-202.
- [53] Nelson PT, Dickson DW, Trojanowski JQ, et al. Limbic-predominant age-related TDP-43 encephalopathy (LATE): consensus working group report. *Brain*. 2019;142(6):1503-27.
- [54] Ng Kee Kwong KC, Mollison D, Meijboom R, York EN, Kampaite A, Thrippleton MJ, Chandran S, Waldman AD. The prevalence of paramagnetic rim lesions in multiple sclerosis: a systematic review and meta-analysis. *PLoS One*. 2021;16:e0256845.
- [55] Owen AM, Coleman MR, Boly M, et al. Detecting awareness in the vegetative state. *Science*. 2006;313:1402.
- [56] Pan JJ, Zhao YY, Lu C, et al. Mild encephalitis/encephalopathy with a reversible splenial lesion: five cases and a literature review. *Neurol Sci*. 2015;36:2043-51.
- [57] Progressive PA, Palsy S, Syndrome C. *Continuum (min-neap Minn)*. 2022;28:1364-78.
- [58] Petersen RC, Smith G, Waring S, et al. MD mild cognitive impairment: clinical characterization and outcome. *Arch Neurol*. 1999;56:303-8.
- [59] Polman CH, Reingold SC, Banwell B, et al. Diagnostic criteria for multiple sclerosis: 2010 revisions to the McDonald criteria. *Ann Neurol*. 2011;69:292-302.
- [60] Posner JB, Saper CB, Schiff ND, Claassen J. Plum and Posner's diagnosis of stupor and coma. 5th ed. Oxford: Oxford University Press; 2019.
- [61] Postuma RB, Berg D, Adler CH, et al. The new definition and diagnostic criteria of Parkinson's disease. *Lancet Neurol*. 2016;15:546-8.
- [62] Rascovsky K, Hodges JR, Knopman D, et al. Sensitivity of revised diagnostic criteria for the behavioural variant of frontotemporal dementia. *Brain*. 2011;134:2456-77.
- [63] Rothwell PM, Giles MF, Chandratheva A, et al. Early use of Existing Preventive Strategies for Stroke (EXPRESS) study. Effect of urgent treatment of transient ischaemic attack and minor stroke on early recurrent stroke (EXPRESS study): a prospective population-based sequential comparison. *Lancet*. 2007;370(9596):1432-42.
- [64] Sachdev P, Kalaria R, O'Brien J, et al. International society for vascular behavioral and cognitive disorders. Diagnostic criteria for vascular cognitive disorders: a VASCOG statement. *Alzheimer Dis Assoc Disord*. 2014;28:206-18.
- [65] Singhal AB, Topcoglu MA, Fok JW. Reversible cerebral vasoconstriction syndrome and primary angiitis of the central nervous system: clinical, imaging, and angiographic comparison. *Ann Neurol*. 2016;79:882-94.
- [66] Sinnecker T, Clarke MA, Meier D, Enzinger C, Calabrese M, De Stefano N, et al. Evaluation of the central vein sign as a diagnostic imaging biomarker in multiple sclerosis. *JAMA Neurol*. 2019;76:1446-56.
- [67] Solomon AJ, Pettigrew R, Naismith RT, Chahin S, Krieger S, Weinshenker B. Challenges in multiple sclerosis diagnosis: misunderstanding and misapplication of the McDonald criteria. *Mult Scler*. 2021;27:250-8.
- [68] Sorbi S, Hort J, Erkinjuntti T, Fladby T, et al. EFNS scientist panel on dementia and cognitive neurology. EFNS-ENS guidelines on the diagnosis and management of disorders associated with dementia. *Eur J Neurol*. 2012;19:1159-79.
- [69] Steiner TJ, Stovner LJ, Katsarava Z, et al. The impact of headache in Europe: principal results of the Eurolight project. *J Headache Pain*. 2014;15:31.
- [70] Tallantyre EC, Evans NA, Parry-Jones J, et al. Neurological updates: neurological complications of CAR-T therapy. *J Neurol*. 2021;268:1544-54.
- [71] Thompson AJ, Banwell BL, Barkhof F, Carroll WM, Coetzee T, Comi G, Correale J, Fazekas F, Filippi M, Freedman MS, Fujihara K, Galetta SL, Hartung HP, Kappos L, Lublin FD, Marrie RA, Miller AE, Miller DH, Montalban X, Mowry EM, Sorensen PS, Tintoré M, Traboulsee AL, Trojano M, Uitdehaag BMJ, Vukusic S, Waubant E, Weinshenker

- BG, Reingold SC, Cohen JA. Diagnosis of multiple sclerosis: 2017 revisions of the McDonald criteria. *Lancet Neurol.* 2018;17(2):162 – 173.
- [72] Thydén AL, Muhamad AA, Jacobsen A, Kondziella D. Intravenous epoprostenol for treatment-refractory reversible cerebral vasoconstriction syndrome (RCVS). *J Neurol Sci.* 2016;364:56 – 8.
- [73] Trindade A, Cabreira V, Goebel JA, Staab JP, Kaski D, Stone J. Predictors of persistent postural-perceptual dizziness (PPPD) and similar forms of chronic dizziness precipitated by peripheral vestibular disorders: a systematic review. *J Neurol Neurosurg Psychiatry.* 2023 Mar 20:jnnp-2022-330196.
- [74] Trinka E, Cock H, Hesdorffer D, et al. A definition and classification of status epilepticus — report of the ILAE task force on classification of status epilepticus. *Epilepsia.* 2015;56:1515 – 23.
- [75] Undén J, Ingebrigtsen T, Romner B, Scandinavian Neurotrauma Committee (SNC). Scandinavian guidelines for initial management of minimal, mild and moderate head injuries in adults: an evidence and consensus-based update. *BMC Med.* 2013;11:50 – 87.
- [76] Waldemar G, Burns A, editors. *Alzheimer's disease*. 2nd ed. London: Oxford University Press; 2017.
- [77] Wattjes MP, Ciccarelli O, Reich DS, Banwell B, de Stefano N, Enzinger C, et al. 2021 MAGNIMSCMSC-NAIMS consensus recommendations on the use of MRI in patients with multiple sclerosis. *Lancet Neurol.* 2021;20:653 – 70.
- [78] Waubant E, Weinshenker B, Wolinsky JS. Diagnostic criteria for multiple sclerosis: 2010 revisions to the McDonald criteria. *Ann Neurol.* 2011;69:292 – 302.
- [79] Wegener M, la Cour M, Milea D. Loss of sight and hearing and cognitive dysfunction — Susac's syndrome? *Ugeskr Laeger.* 2009;171:618 – 20.
- [80] Wenning GK, Stankovic I, Vignatelli L, Fanciulli A, Calandra-Buonaura G, Seppi K, et al. The movement disorder society criteria for the diagnosis of multiple system atrophy. *Mov Disord.* 2022;37:1131 – 48.
- [81] Winblad B, Palmer K, Kivipelto M, Jelic V, Fratiglioni L, Wahlund LO, Nordberg A, Bäckman L, Albert M, Almkvist O, Arai H, Basun H, Blennow K, de Leon M, DeCarli C, Erkinjuntti T, Giacobini E, Graff C, Hardy J, Jack C, Jorm A, Ritchie K, van Duijn C, Visser P, Petersen RC. *J Intern Med.* 2004;256:240 – 6.

第5章 辅助检查

参考文献

- [1] Alcolea D, Beeri MS, Rojas JC, Gardner RC, Lleó A. Blood biomarkers in neurodegenerative diseases: implications for the clinical neurologist. *Neurology*. 2023;6. <https://doi.org/10.1212/WNL.0000000000207193>.
- [2] Bourque PR, Masson-Roy J, Warman-Chardon J, Massie R, Melanson M, Brooks J, et al. Temporal evolution of nerve conduction study abnormalities in anti-myelin-associated glycoprotein neuropathy. *Muscle Nerve*. 2021;63:401 – 4.
- [3] Dubois B, Villain N, Frisoni GB, Rabinovici GD, Sabbagh M, Cappa S, et al. Clinical diagnosis of Alzheimer's disease: recommendations of the International Working Group. *Lancet Neurol*. 2021;20:484 – 96.
- [4] Fogel BL, Satya-Murti S, Cohen BC. Clinical exome sequencing in neurologic disease. *Neurol Clin Pract*. 2016;6:164 – 76.
- [5] Gaspard N. ACNS critical care EEG terminology: value, limitations, and perspectives. *J Clin Neurophysiol*. 2015;32:452 – 5.
- [6] Hannaford A, Pavey N, van den Bos M, Geevasinga N, Menon P, Shefner JM, et al. Diagnostic utility of gold coast criteria in amyotrophic lateral sclerosis. *Ann Neurol*. 2021;89:979 – 86.
- [7] Herukka SK, Simonsen AH, Andreasen N, et al. Recommendations for CSF AD biomarkers in the diagnostic evaluation of MCI. *Alzheimers Dement*. 2017;13(3):285 – 95.
- [8] Hirsch L, Fong MWK, Brenner RP. Hirsch and Brenner's Atlas of EEG in critical care. 2nd ed. New Jersey, NJ: Wiley; 2023.
- [9] Holm-Yildiz S, Richter Hansen J, Thonon V, Beniczky S, Fabricius M, Sidaros A, Kondziella D. Does continuous electroencephalography influence therapeutic decisions in neurocritical care? *Acta Neurol Scand*. 2021;143:290 – 7.
- [10] Husain AM. Ebersole's current practice of current electroencephalography. 5th ed. Lippincott Williams & Wilkins; 2023.
- [11] Mohan S, Loevner LA. Brain imaging: Case review series. 3rd ed. Elsevier; 2023.
- [12] Preston DC, Shapiro BE. Electromyography and Neuromuscular disorders: clinical-electrophysiologicalultrasound correlations. 4th ed. Elsevier; 2020.
- [13] Simonsen AH, Herukka SK, Andreasen N, et al. Recommendations for CSF AD biomarkers in the diagnostic evaluation of dementia. *Alzheimers Dement*. 2017;13(3):274 – 84.
- [14] LaRoche SM, editor. Handbook of ICU EEG monitoring. 2nd ed. New York, NY: Demos Medical; 2018.
- [15] Valdueza JM, Schreiber SJ, Roehl JE. Neurosonology and neuroimaging of stroke: a comprehensive reference. 2nd ed. Stuttgart: Thieme; 2016.
- [16] Warren JD, Schott JM, Fox NC, et al. Brain biopsy in dementia. *Brain*. 2005;128:2016 – 25.

第6章 神经系统疾病治疗

参考文献

- [1] Abou-Khalil BW. Update on antiseizure medications 2022. *Continuum (minneapolis)*. 2022;28:500–35.
- [2] Alemseged F, Nguyen TN, Coutts SB, Cordonnier C, Schonewille WJ. Campbell BCV endovascular thrombectomy for basilar artery occlusion: translating research findings into clinical practice. *Lancet Neurol*. 2023;22:330–7.
- [3] Bath PM, Song L, Silva GS, Mistry E, Petersen N, Tsivgoulis G, et al. Blood pressure management for ischemic stroke in the first 24 hours. *Stroke*. 2022;53:1074–84.
- [4] Berge E, Whiteley W, Audebert H, De Marchis GM, Fonseca AC, Padiglioni C, de la Ossa NP, Strbian D, Tsivgoulis G, Turc G. European Stroke Organisation (ESO) guidelines on intravenous thrombolysis for acute ischaemic stroke. *Eur Stroke J*. 2021;6(1):I–LXII.
- [5] Bråthen G, Ben-Menachem E, Brodtkorb E, et al. EFNS task force on diagnosis and treatment of alcohol-related seizures. EFNS guideline on the diagnosis and management of alcohol-related seizures: report of an EFNS task force. *Eur J Neurol*. 2005;12:575–81.
- [6] Brigo F, Marson A. Approach to the medical treatment of epilepsy. *Continuum*. 2022;28:483–99.
- [7] Calabresi PA, Radue EW, Goodin D, et al. Safety and efficacy of fingolimod in patients with relapsing-remitting multiple sclerosis (FREEDOMS II): a double-blind, randomised, placebo-controlled, phase 3 trial. *Lancet Neurol*. 2014;13:545–56.
- [8] Campbell BC, Mitchell PJ, Kleinig TJ, et al. Endovascular therapy for ischemic stroke with perfusion-imaging selection. *N Engl J Med*. 2015;372:1009–18.
- [9] Campbell BC, Ma H, Ringleb PA, et al. Extending thrombolysis to 4.5–9 h and wake-up stroke using perfusion imaging: a systematic review and metaanalysis of individual patient data. *Lancet*. 2019;394:139–47.
- [10] Chernyshev OY, Martin-Schild S, Albright KC, et al. Safety of tPA in stroke mimics and neuroimaging-negative cerebral ischemia. *Neurology*. 2010;74:1340–5.
- [11] CLOTS (Clots in Legs Or sTockings after Stroke) Trials Collaboration. Effectiveness of intermittent pneumatic compression in reduction of risk of deep vein thrombosis in patients who have had a stroke (CLOTS 3): a multicentre randomised controlled trial. *Lancet*. 2013;382:516–24.
- [12] Compter A, van der Worp HB, Schonewille WJ, et al. Stenting versus medical treatment in patients with symptomatic vertebral artery stenosis: a randomised open-label phase 2 trial. *Lancet Neurol*. 2015;14:606–14.
- [13] Confavreux C, O'Connor P, Comi G, et al. Oral teriflunomide for patients with relapsing-remitting multiple sclerosis (TOWER): a randomized, double-blind, placebo-controlled, phase 3 trial. *Lancet Neurol*. 2014;13:247–56.
- [14] Etminan N, Brown RD Jr, Breseeglo K, et al. The unruptured intracranial aneurysm treatment score: a multi-disciplinary consensus. *Neurology*. 2015;85:881–9.
- [15] Fonseca AC, Merwick Á, Dennis M, Ferrari J, Ferro JM, Kelly P, et al. European Stroke Organisation (ESO) guidelines on management of transient ischaemic attack. *Eur Stroke J*. 2021;6:CLXIII–CLXXXVI.
- [16] Frederiksen KS, Waldemar G, editors. Management of patients with dementia: the role of the physician, 1st ed. UK: Springer; 2021. ISBN–10:3030779068.
- [17] Frederiksen KS, Cooper C, Frisoni GB, Frölich L, Georges J, Kramberger MG, et al. A European Academy of Neurology guideline on medical management issues in dementia. *Eur J Neurol*. 2020;27:1805–20.
- [18] Glauser T, Ben-Menachem E, Bourgeois B, et al. Updated ILAE evidence review of antiepileptic drug efficacy and effectiveness as initial monotherapy for epileptic seizures and syndromes. *Epilepsia*. 2013;54:551–63.
- [19] Goyal M, Demchuk AM, Menon BK, et al. Randomized assessment of rapid endovascular treatment of ischemic stroke. *N Engl J Med*. 2015;372:1019–30.
- [20] Hemphill JC, Greenberg SM, Anderson CS, et al. Guidelines for the management of spontaneous intracerebral hemorrhage: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2015;46:2032–60.
- [21] Hofmeijer J, Kappelle LJ, Algra A, et al. Surgical decompression for space-occupying cerebral infarction (the Hemispherectomy After Middle Cerebral Artery infarction with Life-threatening Edema Trial [HAMLET]): a multicentre, open, randomised trial. *Lancet Neurol*. 2009;8:326–33.
- [22] Huo X, Ma G, Tong X, Zhang X, Pan Y, Nguyen TN, et al. Trial of endovascular therapy for acute ischemic stroke with large infarct. *N Engl J Med*. 2023;388:1272–83.

- [23] Jovin TG, Chamorro A, Cobo E, et al. Thrombectomy within 8 hours after symptom onset in ischemic stroke. *N Engl J Med*. 2015;372:2296–306.
- [24] Jüttler E, Schwab S, Schmiedek P, et al. Decompressive surgery for the treatment of malignant infarction of the middle cerebral artery (DESTINY): a randomized, controlled trial. *Stroke*. 2007;38:2518–25.
- [25] Jüttler E, Unterberg A, Woitzik J, Bösel J, Amiri H, Sakowitz OW, et al. Hemispherectomy in older patients with extensive middle-cerebral artery stroke. *N Engl J Med*. 2014a;370:1091–100.
- [26] Jüttler E, Unterberg A, Woitzik J, et al. Hemispherectomy in older patients with extensive middle-cerebral artery stroke. *N Engl J Med*. 2014b;279:1091–100.
- [27] Kimura S, Toyoda K, Yoshimura S, Minematsu K, Yasaka M, Paciaroni M, et al. Practical “1-2-3-4-day” rule for starting direct oral anticoagulants after ischemic stroke with atrial fibrillation: combined hospital-based cohort study. *Stroke*. 2022;53(5):1540–9.
- [28] Lansberg MG, Schrooten M, Bluhmki E, Thijs VN, Saver JL. Treatment time-specific number needed to treat estimates for tissue plasminogen activator therapy in acute stroke based on shifts over the entire range of the modified Rankin Scale. *Stroke*. 2009;40:2079–84.
- [29] Lip GY. Using the CHA2DS2-VASc score for stroke risk stratification in atrial fibrillation: a clinical perspective. *Expert Rev Cardiovasc Ther*. 2013;11:259–62.
- [30] Mendelow AD, Gregson BA, Fernandes HM, et al. Early surgery versus initial conservative treatment in patients with spontaneous supratentorial intracerebral haematomas in the International Surgical Trial in Intracerebral Haemorrhage (STICH): a randomised trial. *Lancet*. 2005;365:387–97.
- [31] Mohr JP, Overbey JR, Hartmann A, Kummer RV, Al-Shahi Salman R, Kim H, et al. Medical management with interventional therapy versus medical management alone for unruptured brain arteriovenous malformations (ARUBA): final follow-up of a multicentre, non-blinded, randomised controlled trial. *Lancet Neurol*. 2020;19:573–81.
- [32] Mühlbauer V, Möhler R, Dichter MN, et al. Antipsychotics for agitation and psychosis in people with Alzheimer’s disease and vascular dementia. *Cochrane Database Syst Rev*. 2021;17(12):CD 013304.
- [33] Neal EG, Chaffe H, Schwartz RH, et al. The ketogenic diet for the treatment of childhood epilepsy: a randomised controlled trial. *Lancet Neurol*. 2008;7(6):500.
- [34] Pisters R, Lane DA, Nieuwlaar R, et al. A novel user-friendly score (HAS-BLED) to assess one-year risk of major bleeding in patients with atrial fibrillation: the Euro Heart Survey. *Chest*. 2010;138:1093–100.
- [35] Powers WJ, Clarke WR, Grubb RL Jr, et al. Extracranial-intracranial bypass surgery for stroke prevention in hemodynamic cerebral ischemia: the Carotid Occlusion Surgery Study randomized trial. *JAMA*. 2011;306:1983–92.
- [36] Rennebohm RM, Asdaghi N, Srivastava S, Gertner E. Guidelines for treatment of Susac syndrome — an update. *Int J Stroke*. 2020;15:484–94.
- [37] Riedel CH, Zimmermann P, Jensen-Kondering U, et al. The importance of size: successful recanalization by intravenous thrombolysis in acute anterior stroke. *Stroke*. 2011;42:1775–7.
- [38] Rotstein D, Solomon JM, Sormani MP, Montalban X, Ye XY, Dababneh D, et al. Association of NEDA-4 with no long-term disability progression in multiple sclerosis and comparison with NEDA-3: a systematic review and meta-analysis. *Neurol Neuroimmunol Neuroinflamm*. 2022;9: e200032.
- [39] Sacco S, Amin FM, Ashina M, Bendtsen L, Deligianni CI, Gil-Gouveia R, et al. European headache federation guideline on the use of monoclonal antibodies targeting the calcitonin gene related peptide pathway for migraine prevention — 2022 update. *J Headache Pain*. 2022;23:67.
- [40] Samuels MA, Ropper AH. Samuels’s manual of neurologic therapeutics. 9th ed. Philadelphia: Lippincott Williams & Wilkins; 2017.
- [41] Sandset EC, Murray GD, Bath PM, et al. Scandinavian Candesartan Acute Stroke Trial (SCAST) Study Group. Relation between change in blood pressure in acute stroke and risk of early adverse events and poor outcome. *Stroke*. 2012;43:2108–14.
- [42] Sandset EC, Anderson CS, Bath PM, et al. European Stroke Organisation (ESO) guidelines on blood pressure management in acute ischaemic stroke and intracerebral haemorrhage. *Eur Stroke J*. 2021;6:XLVIII–LXXXIX.
- [43] Sarraj A, Hassan AE, Abraham MG, Ortega-Gutierrez S, Kasner SE, Hussain MS, et al. Trial of endovascular thrombectomy for large ischemic strokes. *N Engl J Med*. 2023;388(14):1259–71.
- [44] Saver JL, Goyal M, Bonafe A, et al. Stent-retriever thrombectomy after intravenous t-PA vs. t-PA alone in stroke. *N Engl J Med*. 2015;372:2285–95.
- [45] Schmidt R, Hofer E, Bouwman FH, et al. EFNS-ENS/EAN Guideline on concomitant use of cholinesterase inhibitors and memantine in moderate to severe Alzheimer’s disease. *Eur J Neurol*. 2015;22:889–98.

- [46] Silbergleit R, Durkalski V, Lowenstein D, et al. Intramuscular versus intravenous therapy for prehospital status epilepticus. *N Engl J Med*. 2012;366:591 – 600.
- [47] Skoglund TS, Eriksson-Ritzén C, Sörbo A, et al. Health status and life satisfaction after decompressive craniectomy for malignant middle cerebral artery infarction. *Acta Neurol Scand*. 2008;117:305 – 10.
- [48] Sorensen PS. Safety concerns and risk management of multiple sclerosis therapies. *Acta Neurol Scand*. 2017;136:168 – 86.
- [49] Tsivgoulis G, Katsanos AH, Sandset EC, Turc G, Nguyen TN, et al. Thrombolysis for acute ischaemic stroke: current status and future perspectives. *Lancet Neurol*. 2023;S1474 – 4422(22):00519 – 21.
- [50] Vahedi K, Vicaute E, Mateo J, et al. Sequential-design, multicenter, randomized, controlled trial of early decompressive craniectomy in malignant middle cerebral artery infarction (DECIMAL Trial). *Stroke*. 2007a;38:2506 – 17.
- [51] Vahedi K, Hofmeijer J, Juettler E, et al. Early decompressive surgery in malignant infarction of the middle cerebral artery: a pooled analysis of three randomized controlled trials. *Lancet Neurol*. 2007b;6:215 – 22.
- [52] van de Beek D, Cabellos C, Dzupova O, Esposito S, Klein M, Klock AT, et al. ESCMID guideline: diagnosis and treatment of acute bacterial meningitis. *Clin Microbiol Infect*. 2016;22(Suppl 3):S37 – 62.
- [53] Wang Y, Zhao X, Liu L, et al. Clopidogrel with aspirin in acute minor stroke or transient ischemic attack. *N Engl J Med*. 2013;369:11 – 9.